PAIN

Pain 112 (2004) 414–416

www.elsevier.com/locate/pain

Author Index to Volume 112 (2004)

Affleck, G., see France, C.R., **112** 274
Amabile, G.A., see Serrao, M., **112** 353
Amann, R., Schuligoi, R., Beta adrenergic inhibition of capsaicin-induced, NK_1 receptor-mediated nerve growth factor biosynthesis in rat skin, **112** 76
Andrés Martín, M.C., see Guerra, J.A., **112** 289
Andresen, E.M., see Tait, R.C., **112** 389
Aponte, Y., see Tortorici, V., **112** 113
Arnold, L.M., Hudson, J.I., Comment on: Familial aggregation of depression in fibromyalgia: a community-based test of alternative hypotheses, Raphael et al., Pain 110 (2004) 449–460, **112** 409
Attal, N., Bouhassira, D., Can pain be more or less neuropathic?, **112** 223
Attal, N., Bouhassira, D., Erratum to "Can pain be more or less neuropathic?" [Pain 110 (2004) 510–511], **112** 222

Banik, R.K., Brennan, T.J., Spontaneous discharge and increased heat sensitivity of rat C-fiber nociceptors are present in vitro after plantar incision, **112** 204
Barke, A., see Kállai, I., **112** 142
Baron, R., Can we model CRPS type 1?, **112** 8
Bassas y Baena de Leon, E., see Guerra, J.A., **112** 289
Baucom, D., see Smith, S. J.A., **112** 183
Baun, M.M., see Voss, J.A., **112** 197
Bennett, G.J., see Coderre, T.J., **112** 94
Berger, M.Y., see Lenssinck, M.-L. B., **112** 381
Berman, J.S., Symonds, C., Birch, R., Efficacy of two cannabis based medicinal extracts for relief of central neuropathic pain from brachial plexus avulsion: results of a randomised controlled trial, **112** 299
Bevan, S., see Fernihough, J., **112** 83
Birch, R., see Berman, J.S., **112** 299
Bouhassira, D., see Attal, N., **112** 222
Bouhassira, D., see Attal, N., **112** 223
Brack, A., Rittner, H.L., Machelska, H., Leder, K., Mousa, S.A., Schäfer, M., Stein, C., Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112** 229
Bradbury, E.J., see Cronin, J.N., **112** 156
Brennan, F., see Cousins, M.J., **112** 1
Brennan, T.J., see Banik, R.K., **112** 204
Brox, J.I., see Grotle, M., **112** 343
Bruce, J., Drury, N., Poobalan, A.S., Jeffrey, R.R., Smith, W.C.S., Chambers, W.A., Corrigendum to "The prevalence of chronic chest and leg pain cardiac surgery: a historical cohort study" [Pain 104 (2004) 265–273], **112** 413
Budman, S.H., see Butler, S.F., **112** 65
Butler, S.F., Budman, S.H., Fernandez, K., Jamison, R.N., Validation of a screener and opioid assessment measure for patients with chronic pain, **112** 65

Cacace, I., see De Pascalis, V., **112** 27
Caldwell, D.S., see France, C.R., **112** 274
Caldwell, D.S., see Smith, S. J.A., **112** 183
Carr, D.B., see Cousins, M.J., **112** 1
Carroll, L.J., see Côté, P., **112** 267
Cassidy, J.D., see Côté, P., **112** 267

Cervero, F., see Galan, A., **112** 315
Chambers, W.A., see Bruce, J., **112** 413
Chen, Y.-W., Huang, K.-L., Liu, S.-Y., Tzeng, J.-I., Chu, K.-S., Lin, M.-T., Wang, J.-J., Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112** 106
Chibnall, J.T., see Tait, R.C., **112** 389
Chu, K.-S., see Chen, Y.-W., **112** 106
Chung, J.W., Kim, J.H., Kim, H.D., Kho, H.S., Kim, Y.K., Chung, S.C., Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112** 164
Chung, S.C., see Chung, J.W., **112** 164
Ciccone, G., see Mongini, F., **112** 59
Coderre, T.J., Xanthos, D.N., Francis, L., Bennett, G.J., Chronic post-ischemia pain (CPIP): a novel animal model of complex regional pain syndrome-Type I (CRPS-I; reflex sympathetic dystrophy) produced by prolonged hindpaw ischemia and reperfusion in the rat, **112** 94
Côté, P., Cassidy, J.D., Carroll, L.J., Kristman, V., The annual incidence and course of neck pain in the general population: a population-based cohort study, **112** 267
Cousins, M.J., Brennan, F., Carr, D.B., Pain relief: a universal human right, **112** 1
Crager, S.E., see Mogil, J.S., **112** 12
Croft, P., see Peat, G., **112** 397
Crombez, G., see Viane, I., **112** 282
Cronin, J.N., Bradbury, E.J., Lidierth, M., Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112** 156

Damen, L., see Lenssinck, M.-L. B., **112** 381
Davis, K.D., see Seminowicz, D.A., **112** 48
De Corte, W., see Viane, I., **112** 282
De Pascalis, V., Cacace, I., Massicolle, F., Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112** 27
Deregibus, A., see Mongini, F., **112** 59
Devulder, J., see Viane, I., **112** 282
Dixon, K.E., Thorn, B.E., Ward, L.C., An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112** 188
Drury, N., see Bruce, J., **112** 413

Eccleston, C., see Viane, I., **112** 282
Edwards, C., see France, C.R., **112** 274
Edwards, J.E., see Kalso, E., **112** 372
Egan, K., see Turner, J.A., **112** 307
Emery, C.F., see France, C.R., **112** 274
Evans, C.J., Trudeau, E., Mertzanis, P., Marquis, P., Peña, B.M., Wong, J., Mayne, T., Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112** 254

Farooqui, A.A., see Yeo, J.-F., **112** 148
Fernandez, K., see Butler, S.F., **112** 65

doi:10.1016/S0304-3959(04)00514-7

PAIN

Pain 112 (2004) 414–416

www.elsevier.com/locate/pain

Author Index to Volume 112 (2004)

Affleck, G., see France, C.R., **112** 274
Amabile, G.A., see Serrao, M., **112** 353
Amann, R., Schuligoi, R., Beta adrenergic inhibition of capsaicin-induced, NK_1 receptor-mediated nerve growth factor biosynthesis in rat skin, **112** 76
Andrés Martín, M.C., see Guerra, J.A., **112** 289
Andresen, E.M., see Tait, R.C., **112** 389
Aponte, Y., see Tortorici, V., **112** 113
Arnold, L.M., Hudson, J.I., Comment on: Familial aggregation of depression in fibromyalgia: a community-based test of alternative hypotheses, Raphael et al., Pain 110 (2004) 449–460, **112** 409
Attal, N., Bouhassira, D., Can pain be more or less neuropathic?, **112** 223
Attal, N., Bouhassira, D., Erratum to "Can pain be more or less neuropathic?" [Pain 110 (2004) 510–511], **112** 222

Banik, R.K., Brennan, T.J., Spontaneous discharge and increased heat sensitivity of rat C-fiber nociceptors are present in vitro after plantar incision, **112** 204
Barke, A., see Kállai, I., **112** 142
Baron, R., Can we model CRPS type 1?, **112** 8
Bassas y Baena de Leon, E., see Guerra, J.A., **112** 289
Baucom, D., see Smith, S. J.A., **112** 183
Baun, M.M., see Voss, J.A., **112** 197
Bennett, G.J., see Coderre, T.J., **112** 94
Berger, M.Y., see Lenssinck, M.-L. B., **112** 381
Berman, J.S., Symonds, C., Birch, R., Efficacy of two cannabis based medicinal extracts for relief of central neuropathic pain from brachial plexus avulsion: results of a randomised controlled trial, **112** 299
Bevan, S., see Fernihough, J., **112** 83
Birch, R., see Berman, J.S., **112** 299
Bouhassira, D., see Attal, N., **112** 222
Bouhassira, D., see Attal, N., **112** 223
Brack, A., Rittner, H.L., Machelska, H., Leder, K., Mousa, S.A., Schäfer, M., Stein, C., Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112** 229
Bradbury, E.J., see Cronin, J.N., **112** 156
Brennan, F., see Cousins, M.J., **112** 1
Brennan, T.J., see Banik, R.K., **112** 204
Brox, J.I., see Grotle, M., **112** 343
Bruce, J., Drury, N., Poobalan, A.S., Jeffrey, R.R., Smith, W.C.S., Chambers, W.A., Corrigendum to "The prevalence of chronic chest and leg pain cardiac surgery: a historical cohort study" [Pain 104 (2004) 265–273], **112** 413
Budman, S.H., see Butler, S.F., **112** 65
Butler, S.F., Budman, S.H., Fernandez, K., Jamison, R.N., Validation of a screener and opioid assessment measure for patients with chronic pain, **112** 65

Cacace, I., see De Pascalis, V., **112** 27
Caldwell, D.S., see France, C.R., **112** 274
Caldwell, D.S., see Smith, S. J.A., **112** 183
Carr, D.B., see Cousins, M.J., **112** 1
Carroll, L.J., see Côté, P., **112** 267
Cassidy, J.D., see Côté, P., **112** 267

Cervero, F., see Galan, A., **112** 315
Chambers, W.A., see Bruce, J., **112** 413
Chen, Y.-W., Huang, K.-L., Liu, S.-Y., Tzeng, J.-I., Chu, K.-S., Lin, M.-T., Wang, J.-J., Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112** 106
Chibnall, J.T., see Tait, R.C., **112** 389
Chu, K.-S., see Chen, Y.-W., **112** 106
Chung, J.W., Kim, J.H., Kim, H.D., Kho, H.S., Kim, Y.K., Chung, S.C., Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112** 164
Chung, S.C., see Chung, J.W., **112** 164
Ciccone, G., see Mongini, F., **112** 59
Coderre, T.J., Xanthos, D.N., Francis, L., Bennett, G.J., Chronic post-ischemia pain (CPIP): a novel animal model of complex regional pain syndrome-Type I (CRPS-I; reflex sympathetic dystrophy) produced by prolonged hindpaw ischemia and reperfusion in the rat, **112** 94
Côté, P., Cassidy, J.D., Carroll, L.J., Kristman, V., The annual incidence and course of neck pain in the general population: a population-based cohort study, **112** 267
Cousins, M.J., Brennan, F., Carr, D.B., Pain relief: a universal human right, **112** 1
Crager, S.E., see Mogil, J.S., **112** 12
Croft, P., see Peat, G., **112** 397
Crombez, G., see Viane, I., **112** 282
Cronin, J.N., Bradbury, E.J., Lidierth, M., Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112** 156

Damen, L., see Lenssinck, M.-L. B., **112** 381
Davis, K.D., see Seminowicz, D.A., **112** 48
De Corte, W., see Viane, I., **112** 282
De Pascalis, V., Cacace, I., Massicolle, F., Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112** 27
Deregibus, A., see Mongini, F., **112** 59
Devulder, J., see Viane, I., **112** 282
Dixon, K.E., Thorn, B.E., Ward, L.C., An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112** 188
Drury, N., see Bruce, J., **112** 413

Eccleston, C., see Viane, I., **112** 282
Edwards, C., see France, C.R., **112** 274
Edwards, J.E., see Kalso, E., **112** 372
Egan, K., see Turner, J.A., **112** 307
Emery, C.F., see France, C.R., **112** 274
Evans, C.J., Trudeau, E., Mertzanis, P., Marquis, P., Peña, B.M., Wong, J., Mayne, T., Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112** 254

Farooqui, A.A., see Yeo, J.-F., **112** 148
Fernandez, K., see Butler, S.F., **112** 65

doi:10.1016/S0304-3959(04)00514-7

Fernihough, J., Gentry, C., Malcangio, M., Fox, A., Rediske, J., Pellas, T., Kidd, B., Bevan, S., Winter, J., Pain related behaviour in two models of osteoarthritis in the rat knee, **112** 83
Ferrero, L., see Mongini, F., **112** 59
Flor, H., see Schneider, C., **112** 239
Fox, A., see Fernihough, J., **112** 83
France, C.R., Keefe, F.J., Emery, C.F., Affleck, G., France, J.L., Waters, S., Caldwell, D.S., Stainbrook, D., Hackshaw, K.V., Edwards. C., Laboratory pain perception and clinical pain in post-menopausal women and age-matched men with osteoarthritis: relationship to pain coping and hormonal status, **112** 274
France, J.L., see France, C.R., **112** 274
Francis, L., see Coderre, T.J., **112** 94
Franklin, G., see Turner, J.A., **112** 307
Fulton-Kehoe, D., see Turner, J.A., **112** 307

Gaida, S., see Gradl, G., **112** 121
Galan, A., Laird, J. M.A., Cervero, F., In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112** 315
Gallagher, R.M., see Raphael, K.G., **112** 410
Garcia-Larrea, L., Somatosensory volleys and cortical evoked potentials: 'First come, first served'?, **112** 5
Gentry, C., see Fernihough, J., **112** 83
Gerdle, B.ö., see Rosendal, L., **112** 324
Gierer, P., see Gradl, G., **112** 121
Gluck, J.V., see Turner, J.A., **112** 307
Golla, S., see Weiner, D.K., **112** 214
Good, M., see Voss, J.A., **112** 197
González Moreno, M.J., see Guerra, J.A., **112** 289
Gradl, G., Gaida, S., Gierer, P., Mittlmeier, T., Vollmar, B., In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112** 121
Grotle, M., Vøllestad, N.K., Veierød, M.B., Brox, J.I., Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112** 343
Guérit, J.M., see Mouraux, A., **112** 16
Guerra, J.A., Andrés Martín, M.C., Bassas y Baena de Leon, E., Vigára Lopez, M., Molina López, T., Verdugo Morilla, F.A., González Moreno, M.J., Randomised trial of long term effect of acupuncture for shoulder pain, **112** 289

Hackshaw, K.V., see France, C.R., **112** 274
Hadler, N.M., see Tait, R.C., **112** 389
Handy, J., see Peat, G., **112** 397
He, D., Veiersted, K.B., Høstmark, A.T., Medbø, J.I., Reply to Miller and Lie, **112** 411
Heagerty, P.J., see Turner, J.A., **112** 307
Hertzog, M., see Voss, J.A., **112** 197
Høstmark, A.T., see He, D., **112** 411
Huang, K.-L., see Chen, Y.-W., **112** 106
Hudson, J.I., see Arnold, L.M., **112** 409
Hurri, H., Karppinen, J., Discogenic pain, **112** 225

Imbe, H., Murakami, S., Okamoto, K., Iwai-Liao, Y., Senba, E., The effects of acute and chronic restraint stress on activation of ERK in the rostral ventromedial medulla and locus coeruleus, **112** 361
Iwai-Liao, Y., see Imbe, H., **112** 361

Jackson, M., Simpson, K.H., Spinal cord stimulation in a patient with persistent oesophageal pain, **112** 406
Jamison, R.N., see Butler, S.F., **112** 65
Janal, M.N., see Raphael, K.G., **112** 410
Jeffrey, R.R., see Bruce, J., **112** 413

Kállai, I., Barke, A., Voss, U., The effects of experimenter characteristics on pain reports in women and men, **112** 142
Kalso, E., Edwards, J.E., Moore, R.A., McQuay, H.J., Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112** 372
Karppinen, J., see Hurri, H., **112** 225
Katsuyama, S., see Sakurada, S., **112** 171
Keefe, F.J., see France, C.R., **112** 274
Keefe, F.J., see Smith, S. J.A., **112** 183
Kho, H.S., see Chung, J.W., **112** 164
Kidd, B., see Fernihough, J., **112** 83
Kim, H.D., see Chung, J.W., **112** 164
Kim, J.H., see Chung, J.W., **112** 164
Kim, Y.K., see Chung, J.W., **112** 164
Kim, Y.-S., see Weiner, D.K., **112** 214
Kjær, M., see Rosendal, L., **112** 324
Koes, B.W., see Lenssinck, M.-L. B., **112** 381
Kristiansen, J., see Rosendal, L., **112** 324
Kristman, V., see Côté, P., **112** 267
Kuramasu, A., see Sakurada, S., **112** 171

Laird, J. M.A., see Galan, A., **112** 315
Larsson, B., see Rosendal, L., **112** 324
Leder, K., see Brack, A., **112** 229
Lenssinck, M.-L. B., Damen, Lé., Verhagen, A.P., Berger, M.Y., Passchier, J., Koes, B.W., The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112** 381
Lidierth, M., see Cronin, J.N., **112** 156
Lie, R.K., see Miller, F.G., **112** 411
Lin, M.-T., see Chen, Y.-W., **112** 106
Ling, S.-F., see Yeo, J.-F., **112** 148
Liu, L., Yang, T., Simon, S.A., The protein tyrosine kinase inhibitor, genistein, decreases excitability of nociceptive neurons, **112** 131
Liu, S.-Y., see Chen, Y.-W., **112** 106

MacDonald, M.R., Catastrophizing, coping and validation for chronic pain: a comment on Boothby et al. (2004), **112** 221
Machelska, H., see Brack, A., **112** 229
Malcangio, M., see Fernihough, J., **112** 83
Marquis, P., see Evans, C.J., **112** 254
Massicolle, F., see De Pascalis, V., **112** 27
Mayne, T., see Evans, C.J., **112** 254
McQuay, H.J., see Kalso, E., **112** 372
Medbø, J.I., see He, D., **112** 411
Merighi, A., see Vergnano, A.M., **112** 37
Mertzanis, P., see Evans, C.J., **112** 254
Mikulis, D.J., see Seminowicz, D.A., **112** 48
Miller, F.G., Lie, R.K., Letter to the editor regarding He et al., "Effect of acupuncture treatment on chronic neck and shoulder pain in sedentary female workers: a 6-month and 3-year follow-up study" (Pain 109:299–307), **112** 411
Mittlmeier, T., see Gradl, G., **112** 121
Mizoguchi, H., see Sakurada, S., **112** 171
Mogil, J.S., Crager, S.E., What should we be measuring in behavioral studies of chronic pain in animals?, **112** 12
Molina López, T., see Guerra, J.A., **112** 289
Mongini, F., Ciccone, G., Deregibus, A., Ferrero, L., Mongini, T., Muscle tenderness in different headache types and its relation to anxiety and depression, **112** 59
Mongini, T., see Mongini, F., **112** 59
Moore, R.A., see Kalso, E., **112** 372
Mouraux, A., Guérit, J.M., Plaghki, L., Refractoriness cannot explain why C-fiber laser-evoked brain potentials are recorded only if concomitant Aδ-fiber activation is avoided, **112** 16
Mousa, S.A., see Brack, A., **112** 229
Murakami, S., see Imbe, H., **112** 361

Nappi, G., see Serrao, M., **112** 353
Nayak, S., see Raphael, K.G., **112** 410
Nogueira, L., see Tortorici, V., **112** 113

Okamoto, K., see Imbe, H., **112** 361
Ong, W.-Y., see Yeo, J.-F., **112** 148
Orito, T., see Sakurada, S., **112** 171

Palomba, D., see Schneider, C., **112** 239
Parisi, L., see Serrao, M., **112** 353
Passchier, J., see Lenssinck, M.-L. B., **112** 381
Patijn, J., see Roelofs, J., **112** 335
Peat, G., Thomas, E., Handy, J., Croft, P., Social networks and pain interference with daily activities in middle and old age, **112** 397
Pellas, T., see Fernihough, J., **112** 83
Peña, B.M., see Evans, C.J., **112** 254
Peolsson, M., see Rosendal, L., **112** 324
Peters, M.L., see Roelofs, J., **112** 335
Pierelli, F., see Serrao, M., **112** 353
Plaghki, L., see Mouraux, A., **112** 16
Poobalan, A.S., see Bruce, J., **112** 413

Raphael, K.G., Janal, M.N., Nayak, S., Schwartz, J.E., Gallagher, R.M., Convergence of results regarding fibromyalgia and depression as part of the same spectrum of disorders: response to Arnold et al., **112** 410
Rediske, J., see Fernihough, J., **112** 83
Rittner, H.L., see Brack, A., **112** 229
Roelofs, J., Peters, M.L., Patijn, J., Schouten, E. G.W., Vlaeyen, J. W.S., Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients, **112** 335
Romano, J., see Smith, S. J.A., **112** 183
Rosendal, L., Larsson, B., Kristiansen, J., Peolsson, M., Søgaard, K., Kjær, M., Sørensen, J., Gerdle, B., Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112** 324
Rosseland, L.A., Stubhaug, A., Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112** 248
Rossi, P., see Serrao, M., **112** 353
Rudy, T.E., see Weiner, D.K., **112** 214

Sakurada, C., see Sakurada, S., **112** 171
Sakurada, S., Watanabe, H., Mizoguchi, H., Yonezawa, A., Orito, T., Katsuyama, S., Kuramasu, A., Sakurada, C., Yanai, K., Sakurada, T., Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112** 171
Sakurada, T., see Sakurada, S., **112** 171
Salio, C., see Vergnano, A.M., **112** 37
Sandrini, G., see Serrao, M., **112** 353
Schäfer, M., see Brack, A., **112** 229
Schneider, C., Palomba, D., Flor, H., Pavlovian conditioning of muscular responses in chronic pain patients: central and peripheral correlates, **112** 239
Schouten, E. G.W., see Roelofs, J., **112** 335
Schuligoi, R., see Amann, R., **112** 76
Schwartz, J.E., see Raphael, K.G., **112** 410
Seminowicz, D.A., Mikulis, D.J., Davis, K.D., Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112** 48
Senba, E., see Imbe, H., **112** 361
Serrao, M., Rossi, P., Sandrini, G., Parisi, L., Amabile, G.A., Nappi, G., Pierelli, F., Effects of diffuse noxious inhibitory controls on temporal summation of the RIII reflex in humans, **112** 353
Simon, S.A., see Liu, L., **112** 131
Simpson, K.H., see Jackson, M., **112** 406
Smith, S. J.A., Keefe, F.J., Caldwell, D.S., Romano, J., Baucom, D., Gender differences in patients–pouse interactions: a sequential analysis of behavioral interactions in patients having osteoarthritic knee pain, **112** 183
Smith, W.C.S., see Bruce, J., **112** 413
Søgaard, K., see Rosendal, L., **112** 324
Sørensen, J., see Rosendal, L., **112** 324
Stainbrook, D., see France, C.R., **112** 274
Stein, C., see Brack, A., **112** 229
Stubhaug, A., see Rosseland, L.A., **112** 248
Symonds, C., see Berman, J.S., **112** 299

Tait, R.C., Chibnall, J.T., Andresen, E.M., Hadler, N.M., Management of occupational back injuries: differences among African Americans and Caucasians, **112** 389
Thomas, E., see Peat, G., **112** 397
Thompson, A., see Voss, J.A., **112** 197
Thorn, B.E., see Dixon, K.E., **112** 188
Tortorici, V., Nogueira, L., Aponte, Y., Vanegas, H., Involvement of cholecystokinin in the opioid tolerance induced by dipyrone (metamizol) microinjections into the periaqueductal gray matter of rats, **112** 113
Trudeau, E., see Evans, C.J., **112** 254
Turner, J.A., Franklin, G., Heagerty, P.J., Wu, R., Egan, K., Fulton-Kehoe, D., Gluck, J.V., Wickizer, T.M., The association between pain and disability, **112** 307
Tzeng, J.-I., see Chen, Y.-W., **112** 106

Vanegas, H., see Tortorici, V., **112** 113
Veierød, M.B., see Grotle, M., **112** 343
Veiersted, K.B., see He, D., **112** 411
Verdugo Morilla, F.A., see Guerra, J.A., **112** 289
Vergnano, A.M., Salio, C., Merighi, A., NK_1 receptor activation leads to enhancement of inhibitory neurotransmission in spinal substantia gelatinosa neurons of mouse, **112** 37
Verhagen, A.P., see Lenssinck, M.-L. B., **112** 381
Viane, I., Crombez, G., Eccleston, C., Devulder, J., De Corte, W., Acceptance of the unpleasant reality of chronic pain: effects upon attention to pain and engagement with daily activities, **112** 282
Vigára Lopez, M., see Guerra, J.A., **112** 289
Vlaeyen, J. W.S., see Roelofs, J., **112** 335
Vøllestad, N.K., see Grotle, M., **112** 343
Vollmar, B., see Gradl, G., **112** 121
Voss, J.A., Good, M., Yates, B., Baun, M.M., Thompson, A., Hertzog, M., Sedative music reduces anxiety and pain during chair rest after open-heart surgery, **112** 197
Voss, U., see Kállai, I., **112** 142

Wang, J.-J., see Chen, Y.-W., **112** 106
Ward, L.C., see Dixon, K.E., **112** 188
Watanabe, H., see Sakurada, S., **112** 171
Waters, S., see France, C.R., **112** 274
Weiner, D.K., Rudy, T.E., Kim, Y.-S., Golla, S., Do medical factors predict disability in older adults with persistent low back pain?, **112** 214
Weisse, C.S., Understanding pain management by examining the social context in which pain is reported, **112** 10
Wickizer, T.M., see Turner, J.A., **112** 307
Winter, J., see Fernihough, J., **112** 83
Wong, J., see Evans, C.J., **112** 254
Wu, R., see Turner, J.A., **112** 307

Xanthos, D.N., see Coderre, T.J., **112** 94

Yanai, K., see Sakurada, S., **112** 171
Yang, T., see Liu, L., **112** 131
Yates, B., see Voss, J.A., **112** 197
Yeo, J.-F., Ong, W.-Y., Ling, S.-F., Farooqui, A.A., Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112** 148
Yonezawa, A., see Sakurada, S., **112** 171

Pain 112 (2004) 417–422

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 112 (2004)

Aberrant drug behaviors
Validation of a screener and opioid assessment measure for patients with chronic pain, **112**, 65
Acceptance
Acceptance of the unpleasant reality of chronic pain: effects upon attention to pain and engagement with daily activities, **112**, 282
Activity limitations
Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112**, 343
Acupuncture
Randomised trial of long term effect of acupuncture for shoulder pain, **112**, 289
Acute pain service
Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112**, 248
Addiction
Validation of a screener and opioid assessment measure for patients with chronic pain, **112**, 65
Aδ-fibers
Refractoriness cannot explain why C-fiber laser-evoked brain potentials are recorded only if concomitant Aδ-fiber activation is avoided, **112**, 16
Aged
Social networks and pain interference with daily activities in middle and old age, **112**, 397
Algesiometry
What should we be measuring in behavioral studies of chronic pain in animals?, **112**, 12
Allodynia
Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112**, 148
Allodynia
Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112**, 156
Amitriptyline
Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112**, 106
Analgesia
Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112**, 27
Anesthesia
Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112**, 106
Antinociception
Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112**, 229
Anxiety
Muscle tenderness in different headache types and its relation to anxiety and depression, **112**, 59
Anxiety
Sedative music reduces anxiety and pain during chair rest after open-heart surgery, **112**, 197
Attention
Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112**, 48
Attention
Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients, **112**, 335
Attention to pain
Acceptance of the unpleasant reality of chronic pain: effects upon attention to pain and engagement with daily activities, **112**, 282
Behavioral interaction
Gender differences in patient–spouse interactions: a sequential analysis of behavioral interactions in patients having osteoarthritic knee pain, **112**, 183
Beta adrenergic inhibition
Beta adrenergic inhibition of capsaicin-induced, NK_1 receptor-mediated nerve growth factor biosynthesis in rat skin, **112**, 76
Blood pressure
An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112**, 188
Brachial plexus injury
Efficacy of two cannabis based medicinal extracts for relief of central neuropathic pain from brachial plexus avulsion: results of a randomised controlled trial, **112**, 299
Brain stem
Involvement of cholecystokinin in the opioid tolerance induced by dipyrone (metamizol) microinjections into the periaqueductal gray matter of rats, **112**, 113
Cannabis
Efficacy of two cannabis based medicinal extracts for relief of central neuropathic pain from brachial plexus avulsion: results of a randomised controlled trial, **112**, 299
Capsaicin
The protein tyrosine kinase inhibitor, genistein, decreases excitability of nociceptive neurons, **112**, 131
Carpal tunnel syndrome
The association between pain and disability, **112**, 307
Carrageenan
Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112**, 148
Caspase 3
In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112**, 121
Catastrophizing
Catastrophizing, coping and validation for chronic pain: a comment on Boothby et al. (2004), **112**, 221
Central vs peripheral effect
Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112**, 148
C-fibers
Refractoriness cannot explain why C-fiber laser-evoked brain potentials are recorded only if concomitant Aδ-fiber activation is avoided, **112**, 16

doi:10.1016/S0304-3959(04)00515-9

Chemokine
Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112**, 229
Chronic
Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112**, 372
Chronic back pain
Pavlovian conditioning of muscular responses in chronic pain patients: central and peripheral correlates, **112**, 239
Chronic low back pain
Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients, **112**, 335
Chronic pain
Catastrophizing, coping and validation for chronic pain: a comment on Boothby et al. (2004), **112**, 221
Chronic pain
Efficacy of two cannabis based medicinal extracts for relief of central neuropathic pain from brachial plexus avulsion: results of a randomised controlled trial, **112**, 299
Chronic pain
Validation of a screener and opioid assessment measure for patients with chronic pain, **112**, 65
Chronic post-ischemia pain
Chronic post-ischemia pain (CPIP): a novel animal model of complex regional pain syndrome-Type I (CRPS-I; reflex sympathetic dystrophy) produced by prolonged hindpaw ischemia and reperfusion in the rat, **112**, 94
CNV
Pavlovian conditioning of muscular responses in chronic pain patients: central and peripheral correlates, **112**, 239
Cohort study
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Cold pressor
The effects of experimenter characteristics on pain reports in women and men, **112**, 142
Community model
Catastrophizing, coping and validation for chronic pain: a comment on Boothby et al. (2004), **112**, 221
Complete Freund's adjuvant
Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112**, 229
Complex regional pain syndrome-Type I
Chronic post-ischemia pain (CPIP): a novel animal model of complex regional pain syndrome-Type I (CRPS-I; reflex sympathetic dystrophy) produced by prolonged hindpaw ischemia and reperfusion in the rat, **112**, 94
Coping
Catastrophizing, coping and validation for chronic pain: a comment on Boothby et al. (2004), **112**, 221
Coping
Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112**, 48
Cortisol
An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112**, 188
Cross-sectional survey
Social networks and pain interference with daily activities in middle and old age, **112**, 397
CRPS
In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112**, 121
Delayed rectifier
The protein tyrosine kinase inhibitor, genistein, decreases excitability of nociceptive neurons, **112**, 131
Dependent measures
What should we be measuring in behavioral studies of chronic pain in animals?, **112**, 12
Depression
Muscle tenderness in different headache types and its relation to anxiety and depression, **112**, 59
Descending pain control
Involvement of cholecystokinin in the opioid tolerance induced by dipyrone (metamizol) microinjections into the periaqueductal gray matter of rats, **112**, 113
Descending system
The effects of acute and chronic restraint stress on activation of ERK in the rostral ventromedial medulla and locus coeruleus, **112**, 361
Diclofenac
Pain related behaviour in two models of osteoarthritis in the rat knee, **112**, 83
Diffuse noxious inhibitory controls
Effects of diffuse noxious inhibitory controls on temporal summation of the RIII reflex in humans, **112**, 353
Disability
Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112**, 164
Disability
Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112**, 343
Disability
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Disability
The association between pain and disability, **112**, 307
Discogenic pain
Discogenic pain, **112**, 225
Disparities
Management of occupational back injuries: differences among African Americans and Caucasians, **112**, 389
Distress
Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112**, 343
EEG
Pavlovian conditioning of muscular responses in chronic pain patients: central and peripheral correlates, **112**, 239
EEG gamma oscillations
Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112**, 27
Effectiveness
The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112**, 381
Elder
Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112**, 164
Electro-acupuncture
Randomised trial of long term effect of acupuncture for shoulder pain, **112**, 289
EMG
Pavlovian conditioning of muscular responses in chronic pain patients: central and peripheral correlates, **112**, 239
Epidemiology
Social networks and pain interference with daily activities in middle and old age, **112**, 397
Epidemiology
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Experience sampling
Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients, **112**, 335

Experimental pain
An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112**, 188
Experimenter effect
The effects of experimenter characteristics on pain reports in women and men, **112**, 142
Fear
Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients, **112**, 335
Fear-avoidance beliefs
Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112**, 343
GABA
Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112**, 171
GABA
Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112**, 156
Gabapentin
Pain related behaviour in two models of osteoarthritis in the rat knee, **112**, 83
Gender
Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112**, 248
Gender
Laboratory pain perception and clinical pain in post-menopausal women and age-matched men with osteoarthritis: relationship to pain coping and hormonal status, **112**, 274
Gender
The effects of experimenter characteristics on pain reports in women and men, **112**, 142
Gender difference
An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112**, 188
Gender difference
Gender differences in patient–spouse interactions: a sequential analysis of behavioral interactions in patients having osteoarthritic knee pain, **112**, 183
Gender role
The effects of experimenter characteristics on pain reports in women and men, **112**, 142
Glutamate
In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112**, 315
Glutamate
Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112**, 324
Glycine
Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112**, 156
Goal-directed behaviour
Acceptance of the unpleasant reality of chronic pain: effects upon attention to pain and engagement with daily activities, **112**, 282
Graded chronic pain
Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112**, 164
Health outcomes
Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112**, 254
Histamine
Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112**, 171
Hyperalgesia
In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112**, 315
Hyperalgesia
Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112**, 156
Hypnosis
Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112**, 27
40-Hz
Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112**, 27
Imaging
Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112**, 48
in vitro preparation
Spontaneous discharge and increased heat sensitivity of rat C-fiber nociceptors are present in vitro after plantar incision, **112**, 204
Incidence
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Individual
Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112**, 48
Inflammation
Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112**, 229
Inflammation
In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112**, 121
Inflammatory pain
Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112**, 148
Intracerebroventricular
Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112**, 148
Intrathecal
Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112**, 106
Intrathecal injection
Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112**, 171
Ion channel
The protein tyrosine kinase inhibitor, genistein, decreases excitability of nociceptive neurons, **112**, 131
Knee pain
Gender differences in patient–spouse interactions: a sequential analysis of behavioral interactions in patients having osteoarthritic knee pain, **112**, 183
Lactate
Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112**, 324
Laser evoked potentials
Refractoriness cannot explain why C-fiber laser-evoked brain potentials are recorded only if concomitant Aδ-fiber activation is avoided, **112**, 16
Leukocyte–endothelial cell interaction
In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112**, 121
Low back pain
Do medical factors predict disability in older adults with persistent low back pain?, **112**, 214

Low back pain
Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112**, 343
Low back pain
Management of occupational back injuries: differences among African Americans and Caucasians, **112**, 389
Low back pain
The association between pain and disability, **112**, 307
MAPK
The effects of acute and chronic restraint stress on activation of ERK in the rostral ventromedial medulla and locus coeruleus, **112**, 361
Microcirculation
In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112**, 121
Middle aged
Social networks and pain interference with daily activities in middle and old age, **112**, 397
Migraine
Muscle tenderness in different headache types and its relation to anxiety and depression, **112**, 59
Modulation
Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112**, 48
Morphine
Pain related behaviour in two models of osteoarthritis in the rat knee, **112**, 83
Muscle pain
Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112**, 324
Muscle tenderness
Muscle tenderness in different headache types and its relation to anxiety and depression, **112**, 59
Neck pain
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Nerve growth factor
Beta adrenergic inhibition of capsaicin-induced, NK_1 receptor-mediated nerve growth factor biosynthesis in rat skin, **112**, 76
Neuropathic
Efficacy of two cannabis based medicinal extracts for relief of central neuropathic pain from brachial plexus avulsion: results of a randomised controlled trial, **112**, 299
Neuropathic pain
In vivo evidence for apoptosis, but not inflammation in the hindlimb muscle of neuropathic rats, **112**, 121
Neuropathic pain
Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112**, 156
Neurotrophin
Beta adrenergic inhibition of capsaicin-induced, NK_1 receptor-mediated nerve growth factor biosynthesis in rat skin, **112**, 76
NK_1 receptor
NK_1 receptor activation leads to enhancement of inhibitory neurotransmission in spinal substantia gelatinosa neurons of mouse, **112**, 37
Nociceptin
Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112**, 171
Nociception
Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112**, 106
Nociceptive flexion reflex (NFR)
Laboratory pain perception and clinical pain in post-menopausal women and age-matched men with osteoarthritis: relationship to pain coping and hormonal status, **112**, 274
Nociceptive response
Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112**, 171
Non-malignant
Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112**, 372
Non-opioid analgesics
Involvement of cholecystokinin in the opioid tolerance induced by dipyrone (metamizol) microinjections into the periaqueductal gray matter of rats, **112**, 113
Non-steroidal anti-inflammatory drugs
Involvement of cholecystokinin in the opioid tolerance induced by dipyrone (metamizol) microinjections into the periaqueductal gray matter of rats, **112**, 113
North Staffordshire osteoarthritis project
Social networks and pain interference with daily activities in middle and old age, **112**, 397
NSAIDs
Involvement of cholecystokinin in the opioid tolerance induced by dipyrone (metamizol) microinjections into the periaqueductal gray matter of rats, **112**, 113
Occupational injury
Management of occupational back injuries: differences among African Americans and Caucasians, **112**, 389
Oesophageal pain
Spinal cord stimulation in a patient with persistent oesophageal pain, **112**, 406
Opioid
Control of inflammatory pain by chemokine-mediated recruitment of opioid-containing polymorphonuclear cells, **112**, 229
Opioid
Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112**, 372
Opioids
Validation of a screener and opioid assessment measure for patients with chronic pain, **112**, 65
Orofacial pain
Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112**, 164
Osteoarthritis
Gender differences in patient–spouse interactions: a sequential analysis of behavioral interactions in patients having osteoarthritic knee pain, **112**, 183
Osteoarthritis
Laboratory pain perception and clinical pain in post-menopausal women and age-matched men with osteoarthritis: relationship to pain coping and hormonal status, **112**, 274
P300
Refractoriness cannot explain why C-fiber laser-evoked brain potentials are recorded only if concomitant Aδ-fiber activation is avoided, **112**, 16
P600
Refractoriness cannot explain why C-fiber laser-evoked brain potentials are recorded only if concomitant Aδ-fiber activation is avoided, **112**, 16
Pain
Cognitive modulation of pain-related brain responses depends on behavioral strategy, **112**, 48
Pain
Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112**, 254
Pain
Electronic diary assessment of pain-related fear, attention to pain, and pain intensity in chronic low back pain patients, **112**, 335
Pain
Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112**, 248

Pain
In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112**, 315
Pain
Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112**, 372
Pain
Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112**, 27
Pain
Social networks and pain interference with daily activities in middle and old age, **112**, 397
Pain
The effects of experimenter characteristics on pain reports in women and men, **112**, 142
Pain coping style
Laboratory pain perception and clinical pain in post-menopausal women and age-matched men with osteoarthritis: relationship to pain coping and hormonal status, **112**, 274
Pain intensity
The association between pain and disability, **112**, 307
Paracetamol
Pain related behaviour in two models of osteoarthritis in the rat knee, **112**, 83
Pavlovian conditioning
Pavlovian conditioning of muscular responses in chronic pain patients: central and peripheral correlates, **112**, 239
Phospholipase A_2
Intracerebroventricular injection of phospholipases A_2 inhibitors modulates allodynia after facial carrageenan injection in mice, **112**, 148
Physiotherapy
The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112**, 381
Plantar incision
Spontaneous discharge and increased heat sensitivity of rat C-fiber nociceptors are present in vitro after plantar incision, **112**, 204
Population-based
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Postoperative
Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112**, 248
Postoperative pain
Sedative music reduces anxiety and pain during chair rest after open-heart surgery, **112**, 197
Prevalence
Chronic orofacial pain among Korean elders: prevalence, and impact using the graded chronic pain scale, **112**, 164
Primary afferent neuron sensitization
Spontaneous discharge and increased heat sensitivity of rat C-fiber nociceptors are present in vitro after plantar incision, **112**, 204
Primary afferent neurons
Beta adrenergic inhibition of capsaicin-induced, NK_1 receptor-mediated nerve growth factor biosynthesis in rat skin, **112**, 76
Prognosis
The annual incidence and course of neck pain in the general population: a population-based cohort study, **112**, 267
Psychometrics
Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112**, 254
Pyruvate
Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112**, 324
Questionnaire
Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112**, 254
Randomised clinical trail
The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112**, 381
Randomised controlled trial
Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112**, 372
Randomised controlled trial
Randomised trial of long term effect of acupuncture for shoulder pain, **112**, 289
Receptor trafficking
In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112**, 315
Restraint stress
The effects of acute and chronic restraint stress on activation of ERK in the rostral ventromedial medulla and locus coeruleus, **112**, 361
RIII reflex
Effects of diffuse noxious inhibitory controls on temporal summation of the RIII reflex in humans, **112**, 353
Satisfaction
Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain, **112**, 254
Sensitization
Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112**, 324
Serotonin
Increase in muscle nociceptive substances and anaerobic metabolism in patients with trapezius myalgia: microdialysis in rest and during exercise, **112**, 324
Serotonin
The effects of acute and chronic restraint stress on activation of ERK in the rostral ventromedial medulla and locus coeruleus, **112**, 361
Sex
Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112**, 248
Sex difference
An evaluation of sex differences in psychological and physiological responses to experimentally-induced pain: a path analytic description, **112**, 188
Shoulder pain
Randomised trial of long term effect of acupuncture for shoulder pain, **112**, 289
Social networks
Social networks and pain interference with daily activities in middle and old age, **112**, 397
Spinal
Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112**, 106
Spinal cord
In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112**, 315
Spinal cord stimulation
Spinal cord stimulation in a patient with persistent oesophageal pain, **112**, 406
(Spinal) Manipulation
The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112**, 381
Spontaneous inhibitory post-synaptic current
NK_1 receptor activation leads to enhancement of inhibitory neurotransmission in spinal substantia gelatinosa neurons of mouse, **112**, 37

Subjective experience
Perception and modulation of pain in waking and hypnosis: functional significance of phase-ordered gamma oscillations, **112**, 27
Substance abuse
Validation of a screener and opioid assessment measure for patients with chronic pain, **112**, 65
Substance P
Involvement of the histaminergic system in the nociceptin-induced pain-related behaviors in the mouse spinal cord, **112**, 171
Substance P
NK_1 receptor activation leads to enhancement of inhibitory neurotransmission in spinal substantia gelatinosa neurons of mouse, **112**, 37
Substantia gelatinosa neurons
NK_1 receptor activation leads to enhancement of inhibitory neurotransmission in spinal substantia gelatinosa neurons of mouse, **112**, 37
Sympathetic dystrophy
Chronic post-ischemia pain (CPIP): a novel animal model of complex regional pain syndrome-Type I (CRPS-I; reflex sympathetic dystrophy) produced by prolonged hindpaw ischemia and reperfusion in the rat, **112**, 94
Synaptic plasticity
In vivo recruitment by painful stimuli of AMPA receptor subunits to the plasma membrane of spinal cord neurons, **112**, 315
Systematic review
Opioids in chronic non-cancer pain: systematic review of efficacy and safety, **112**, 372
Systematic review
The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112**, 381
Temporal summation
Effects of diffuse noxious inhibitory controls on temporal summation of the RIII reflex in humans, **112**, 353
Tension type headache
Muscle tenderness in different headache types and its relation to anxiety and depression, **112**, 59
Tension-type headache
The effectiveness of physiotherapy and manipulation in patients with tension-type headache: a systematic review, **112**, 381
Tonic inhibition
Laminar distribution of $GABA_A$- and glycine-receptor mediated tonic inhibition in the dorsal horn of the rat lumbar spinal cord: effects of picrotoxin and strychnine on expression of Fos-like immunoreactivity, **112**, 156
Topical review
Discogenic pain, **112**, 225
Treatment
Management of occupational back injuries: differences among African Americans and Caucasians, **112**, 389
Tri-cyclic antidepressant
Intrathecal tri-cyclic antidepressants produce spinal anesthesia, **112**, 106
Validation
Catastrophizing, coping and validation for chronic pain: a comment on Boothby et al. (2004), **112**, 221
Visual analogue scale
Gender is a confounding factor in pain trials: women report more pain than men after arthroscopic surgery, **112**, 248
Work loss
Fear-avoidance beliefs and distress in relation to disability in acute and chronic low back pain, **112**, 343
Worker's Compensation
Management of occupational back injuries: differences among African Americans and Caucasians, **112**, 389
Workers' compensation
The association between pain and disability, **112**, 307